## Slope and submarine fan depositional system of the Frasnian-Famennian Imperial Formation, Mackenzie Mountains

Thomas Hadlari\* Geological Survey of Canada, Calgary, Alberta, Canada thomas.hadlari@nrcan.gc.ca

Bernard C. MacLean Robert B. MacNaughton John Utting Geological Survey of Canada, Calgary, Alberta, Canada

The Frasnian-Famennian Imperial Formation consists of siliciclastic strata more than 500 m thick that were deposited upon the drowned Mackenzie Platform (Braman and Hills, 1992; Hadlari et a., 2009b). In the Mackenzie Mountains west of Imperial River, Imperial Formation comprises shale and fine to very fine grained sandstone. West of Imperial River, clinoforms visible through the full thickness of Imperial Formation indicate southwestward progradation of a submarine fan and slope system.

It has been proposed that, in the area between the type section at Imperial River and Norman Wells, Imperial Formation can be subdivided into a lower interval containing relatively shallow water facies and an upper interval of deeper water facies (Hadlari et al., 2009a). Lower and upper intervals are separated by a distinct flooding surface (Tylosky et al., 2009).

The lower interval of Imperial Formation at Imperial River is interpreted to have been analogous to a small scale shelf, dominated by siliciclastic sediment, that was established near the eastern margin of the basin, and includes carbonates of the Jungle Ridge member. Transgression recorded at the base of the upper interval established the deep water setting that hosted the more typical Imperial Formation submarine fan and slope facies that are found west of Imperial River.

The significance of the shallow water facies lies in the reservoir potential of the sandstones. Deeper water sandstones of Imperial Formation are fine to very fine grained and have very low porosity (3-10%; Gal et al., 2009). Sandstones from relatively shallow water facies at Imperial River are fine to medium grained and have good porosity (10-22%; Gal et al., 2009). Ongoing work in the Mackenzie Plain as part of the Geological Survey of Canada Geomapping for Energy and Minerals program will better characterize the shallow and deep water facies through sedimentology, ichnology, palynology, and seismic stratigraphy.

## **Acknowledgements**

This work is part of the Mackenzie Delta and Corridor Project, within the GeoMapping for Energy and Minerals (GEM) Program of the Geological Survey of Canada (GSC). We thank Karen Fallas, activity leader for bedrock mapping in Mackenzie Plain and adjacent regions, for her involvement and support. Some of the initial work was undertaken as part of the "Peel Project" collaboration among NTGO, GSC, and Yukon Geological Survey.

## References

Braman, D.R. and Hills, L.V., 1992. Upper Devonian and Lower Carboniferous miospores, western District of Mackenzie and Yukon Territory, Canada. Paleontographica Canadiana, v. 8, 97 p.

Gal, L.P., Zantvoort, W.G., Allen, T.L., and Fraser, T.A., 2009. Aspects of Imperial Formation petroleum geology. In: Regional Geoscience Studies and Petroleum Potential, Peel Plateau and Plain, Northwest Territories and Yukon: Project Volume, edited by L.J. Pyle and A.L. Jones. Northwest Territories Geoscience Office, NWT Open File 2009-002, p. 337-364.

Hadlari, T., Gal, L.P., Zantvoort, W.G., Tylosky, S.A., Allen, T.L., Fraser, T.A., Lemieux, Y., and Catuneanu, O., 2009a. Chapter 7 – Upper Devonian to Carboniferous Strata I – Imperial Formation play. In: Regional Geoscience Studies and Petroleum Potential, Peel Plateau and Plain, Northwest Territories and Yukon: Project Volume, edited by L.J. Pyle and A.L. Jones. Northwest Territories Geoscience Office, NWT Open File 2009-002, p. 290-364.

Hadlari, T., Tylosky, S.A., Lemieux, Y., Zantvoort, W.G., and Catuneanu, 2009b. Slope and submarine fan turbidite facies of the Upper Devonian Imperial Formation, northern Mackenzie Mountains, NWT: Bulletin of Canadian Petroleum Geology, 57, 192-208.

Tylosky, S.A., Hadlari, T., and Catuneanu, O., 2009. Sedimentology and ichnology of Imperial Formation from Flyaway Creek, Shortcut Creek, and Imperial River. In: Regional Geoscience Studies and Petroleum Potential, Peel Plateau and Plain, Northwest Territories and Yukon: Project Volume, edited by L.J. Pyle and A.L. Jones. Northwest Territories Geoscience Office, NWT Open File 2009-002, p. 311-336.